

December 31st 1875

Survey made for James Lucas Joseph Lucas John Scott and others was commenced 27th day of December 1875 and finished on the 28th Dec 1875 in sections 23, 24, 25 & 26 Town 7 North R. 1 west Perpetual section corner of sections 23, 24, 25 & 26 wit: Buck 18 in S 46° W - 57 Lk White Oak 3 in S 58° E - 45 Lk. Then ran east 1995 ch made corner wit: B. Oak 12 in N 29° E - 57 Lk B. Oak 10 in N 15° E - 78 Lk. Thence ran north (via 4° west) 60.00 ch made Lark corner wit: Swamp Oak 28 in S 29° E - 32 Lk Burr Oak 12 in N 57° E - 32 Lk. Traced the sec line through between secs 23 & 24 Dist 7980 ch Ran the line between secs 25 & 26 from the sec cor South 2000 ch to a stake in the Swamp The above named parties were present and consenting to the survey Joseph Chastain and Stephen Young were sworn as Chain bearers and acted as such

CICr_U13

CICr_U17

CICr_U18

CICr_V14

CICr_V17

W. H. Hensley
Monroe County Surveyor

Survey made for Mayfield and Whisman on the 15th day of March 1876 as follows to wit: Commencing at the East 1/4 mile post of section three (3) T. 7, S. R. 1, west. Thence North 4044 ch to the N.E. sec corner Thence west (via 34°) 4024 ch to the North 1/4 mile post Thence South (via 4°) 40.12 ch missed the corner to the west 17 Lk. Corrected back and established a corner 60 Rods and 5 Lk. North of the center corner of the section Took witnesses: Buck 28 in S 80° E - 53 Lk B. Walnut 10 in N 37° W - 32 Lk. Thence east on the line dividing the lands of the above named parties to the first line run on the east side of the section and made a corner at the average distance allowing 100 acres more or less on the north side and 60 acres more or less on the south side of the N.E. 1/4 of said section Took the following witnesses to the corner: Oak 12 in S 88° W - 42 Lk William Macnaman and Pleasant Mott sworn as Chain bearers

W. H. Hensley
Monroe County Surveyor

Oct 15th 1842

ran the following line for John Orchard in Section
No 13 T 8 R 1. West Began at the eastern 1/2 mile post
thence S 85° W 160 poles to a stake standing within 3 links
of a large pigmy Birch 24 inches diameter then Began
at the South 1/2 mile post thence N 85° E 80 poles witness
Oak 6 inches diam S 70° W 19 links distant

James Bean & John McCoy
chain Bearers by Consent

James H. Spencer M 63

Oct 21st 1842

ran for Arthur Lutfire the East & West line of Section 8
T 7 R 1. West length of said line 313 poles & links then Began
at the center of said section witness trees Birch 4 inches
diam N 12° E 18 1/2 links dist Birch 6 inches N 43 1/2° W 27 3/4
links dist thence N 6° W 80 poles to a stake witness trees
Sugar 14 in diam N 8° W 19 links dist Sugar 14 in diam S 10° E 14 links
distant thence S 85° W 79 poles 20 3/4 links to a stake witness sugar 6 in
diam S 71° W 18 1/2 links dist sugar 6 inch diam S 42° E 32 links dist
thence S 6° E 80 poles witness W Walnut 8 inch diam N 86 1/2° E 6 1/2
links dist Birch 18 inch diam N 35° W 22 links dist & to the Beginning
names of chain Bearers misplaced

Jm H. Spencer M 63

May 4th 1843

ran a line for John Payne & others Began Began at the
Section corners 26.27.34.35 thence N 6° W 80 poles to a
stake witness Elm 30 inches diameter N 87° E 139 links
distant

John Payne & William Luff
chain Bearers by Consent

Jm Spencer M 63

May 1st 1843

Surveyed for James Scarbrough Pily Wilson the following lines in
Section 25 T 7 R 1. West Began at the S. W. corner of said section
thence N 85° E 80 poles to the North Margin of Salt creek witness Elm
12 in diam S 60° W 11 links dist Maple 12 in diam N 66° E 24 1/2 links dist
thence N 6° W 80 poles to an Elm 30 inch diam & corner thence S 85° W 80 poles
in open ground thence S 6° E 80 poles to the Beginning
Sidney Meadows & Daniel Rainey
chain Bearers by Consent

Jm Spencer M 63

Oct 15th 1842

ran the following line for John Orchard in Section
No 13 T 8 R 1. West Began at the eastern 1/2 mile post
thence S 85° W 160 poles to a stake standing within 3 links
of a large pigmy Birch 24 inches diameter then Began
at the South 1/2 mile post thence N 85° E 80 poles witness
Oak 6 inches diam S 70° W 19 links distant

James Bean & John McCoy
chain Bearers by Consent

James H. Spencer M 63

Oct 21st 1842

ran for Arthur Lutfire the East & West line of Section 8
T 7 R 1. West length of said line 313 poles & links then Began
at the center of said section witness trees Birch 4 inches
diam N 12° E 18 1/2 links dist Birch 6 inches N 43 1/2° W 27 3/4
links dist thence N 6° W 80 poles to a stake witness trees
Sugar 14 in diam N 8° W 19 links dist Sugar 14 in diam S 10° E 14 links
distant thence S 85° W 79 poles 20 3/4 links to a stake witness sugar 6 in
diam S 71° W 18 1/2 links dist sugar 6 inch diam S 42° E 32 links dist
thence S 6° E 80 poles witness W Walnut 8 inch diam N 86 1/2° E 6 1/2
links dist Birch 18 inch diam N 35° W 22 links dist & to the Beginning
names of chain Bearers misplaced

Jm H. Spencer M 63

May 4th 1843

ran a line for John Payne & others Began Began at the
Section corners 26.27.34.35 thence N 6° W 80 poles to a
stake witness Elm 30 inches diameter N 87° E 139 links
distant

John Payne & William Huff
chain Bearers by Consent

Jm Spencer M 63

May 1st 1843

Surveyed for James Scarbrough Pily Wilson the following lines in
Section 25 T 7 R 1. West Began at the S.W. corner of said section
thence N 85° E 80 poles to the North Margin of Salt Creek witness Elm
12 in diam S 60° W 11 links dist Maple 12 in diam N 66° E 24 1/2 links dist
thence N 6° W 80 poles to an Elm 30 inch diam & corner thence S 85° W 80 poles
in open ground thence S 6° E 80 poles to the Beginning
Sidney Meadows & Daniel Rainey
chain Bearers by Consent

Jm Spencer M 63

All corners in lake
CICr_U20
CICr_U21
CICr_V20
CICr_V21

Section 10³ T 8 R 1 W

July 9th 1883
Surveyed in Section
10³ T 8 R 1 W and
established corners as per
plat and field notes accompanying

A) 23 ft east of S $\frac{1}{2}$ m p
Buck 24 S 44° W 90 lks

B) 17 Poles $7\frac{5}{8}$ lks east of (A)
Buck 20 S 75° E 103 lks

C) 9 Poles north of (B)
Ash 5 S 79° W 91 lks

D) 9 Poles north of (A)
Buck 20 N 86° W 74

The above Survey was made by order of the trustees of
The reformed Presbyterian church for a burying ground

David Latimer (chairman)
John A. Russell
Samuel Harris flagman


M. H. Buskirk, N. & S.

All corners in lake

CICr_U17
CICr_U19
CICr_U21
CICr_V19
CICr_W17
CICr_W18
CICr_W19
CICr_X18
CICr_Y19

"D"

Sept 11th 1882 Surveyed in Section 25 T 7 R 1 W and
established the following corners. Commenced at the S W cor
Ran N 32° W 323 Poles 16 & hit corner Established W $\frac{1}{2}$ m p. at
average distances Elm 24 N 80° W 14 Sour oak - N 34° E 10 $\frac{1}{2}$ lks
Ran from E $\frac{1}{2}$ m p. 319. P. 19 lks to W $\frac{1}{2}$ m p. Established cor "B"
at half dist bet W $\frac{1}{2}$ m p. & center Ash 5 N 34 $\frac{1}{2}$ E 77 $\frac{1}{2}$ lks
gum 10 N 9° W 81 lks Established corner "C" at center Red oak
10 N 46° E 7 Swamp oak 10 S 85° E 26 $\frac{1}{2}$ lks Established corner
at half distance bet N $\frac{1}{2}$ m p. & center Buck 12 N 11 E 4 lks Buck
40 S 21° W 50 $\frac{1}{2}$ lks Established cor "E" at center of N E gr Buck 10
N 21 E 29 lks Buck 10 N 68 $\frac{1}{2}$ W 16



The above was done for J. K.
Mitchel. John S. Chambers & others
by consent
W. H. Smith (chairman)
Nelson Hawkins sworn


George W. Smith flagman sworn

M. H. Buskirk
M. H. S.

+ October the 10th 1882 commenced at the N.E. corner of Section 26 T 7 R 1 W Ran S 86 $\frac{1}{2}$ W 41. Poles to the center of State road drove stake then commenced at the center of Section Twenty five Ran S 4 $\frac{1}{2}$ E 124 Poles 10th and established corner witness Ash 1 inch S 89 $\frac{1}{2}$ W 15 $\frac{1}{2}$ the maple 9 N 8 $\frac{1}{2}$ W 96 $\frac{1}{2}$ the
Done for Robt Galloway

John A. Mercer } flagman
Mart Arney } chainmen
Robt Galloway } plugmen sworn

M. H. Buskirk
M. C. S.



+ Oct 11th 1882 commenced the survey of Section 27 T 7 R 1 W and established corners as per plat and field notes accompanying

A } 114 Poles 12 $\frac{1}{2}$ the south of N.W. cor
Poplar 4 S 43 $\frac{1}{2}$ E 17 $\frac{1}{2}$ the
Sassafras 3 S 31 $\frac{1}{2}$ E 14 $\frac{1}{2}$ "

B } Half dist bet W $\frac{1}{2}$ m p & S.W. cor
Had to set 4 Poles east of its proper place
To get out of the creek
Ash 3 N 19 $\frac{1}{2}$ E 62 $\frac{1}{2}$ the
Elm 3 S 19 $\frac{1}{2}$ W 13 $\frac{1}{2}$ "

Then adjourned until Oct the 25th when the survey was continued

C } Center of Section
Black walnut 6 S 65 $\frac{1}{2}$ E 52 $\frac{1}{2}$ the
Elm 6 N 21 $\frac{1}{2}$ E 29 $\frac{1}{2}$ "

D } Half dist bet center & E $\frac{1}{2}$ m p
Black walnut 6 N 62 $\frac{1}{2}$ W 37 $\frac{1}{2}$ the
Black walnut 4 S 63 $\frac{1}{2}$ W 45 $\frac{1}{2}$ "

E } Half dist bet S $\frac{1}{2}$ m p & S.E. cor
Elm 12 N 36 $\frac{1}{2}$ E 25 $\frac{1}{2}$ the
Hackberry 16 S 27 $\frac{1}{2}$ E 34 $\frac{1}{2}$ "

F } 39 Poles 7 $\frac{1}{2}$ the north of (F)
Beech 18 S 54 $\frac{1}{2}$ E 172 the

G } 78 Poles 14 $\frac{1}{2}$ the north of (F)
Sugar 16 N 38 $\frac{1}{2}$ W 46 $\frac{1}{2}$ the
Buck 12 S 72 $\frac{1}{2}$ W 40 $\frac{1}{2}$ "

H } 39 Poles 2 the north of S.E. cor
Beech 16 S 74 $\frac{1}{2}$ W 3 the
maple 6 N 31 $\frac{1}{2}$ E 12 $\frac{1}{2}$ "

100 poles + 5 links Witness tree S. Oak 8 inches in diam
 S 3° 34' 11 links S Oak 12 inches in diam N 69° 34'
 2 1/2 links dist. Chas. Buser & W. S. Walker
 J. S. Vint

J. S. Vint by consent

S. S. Buser & M. C. Surveyor




October the 27th 1860

Ran the following line in Section 25
 Town 7 Range 1 West for James
 Samuel Rano & S. S. Buser Trust as
 the 1st Illinois Groveyard commences at
 the South West corner of the West
 1/2 of the North East 1/4 of Section 25

West 7 poles + 15 links to a rock thence S 52° West 15 poles + 10 links
 to a rock thence S 15° East 7 poles + 15 links to a rock thence S
 East 15 poles + 15 links to the place of beginning

J. S. Adamson & W. S. Buser by consent

S. S. Buser, M. C. Surveyor



October the 29th 30th 31st & November 1st

Ran the following and made the following corners in
 Sections 26, 35 & 36 Town 7 Range 1 West for
 John Ready. Commenced at the Southern 1/2 Mile st.


Corner A witness Beach 10 inches in diameter S 31° E 54 links dist. Ran
 S 52° W 50 poles + 11 links to B witness Beach 10 inches in diameter S 41° E
 110 links dist. went Sum 28 inches in diameter S 35° E 110 links distant
 thence S 32° W 135 poles + 16 links to the center of Salt Creek or C
 witness Elm 10 inches + Maple 10 inches with 3 notches in each they
 stand on the South Bank of said Creek the line passes between them
 then up Salt Creek with its meanders to the N. E. corner of the Redfield
 or Hill property to D thence S 65° W 12 poles + 12 links to E witness Sycamore
 15 inches S 41° E 19 links distant thence S 42° W 20 poles + 1 witness Elm
 10 inches in diameter East 52 links thence S 75° E 38 poles + 2 links to G
 thence up said Creek about 12 poles to H thence S 73° W 52 poles + 1 link
 to I witness Sycamore 5 inches in diameter S 41° W 222 links distant
 Walnut 10 inches in diameter S 75° W 222 links distant thence S 41° E
 55 poles + 12 links to K witness Beach 8 inches S 42° W 71 links dist
 Beach 8 inches S 10° E 240 links thence S 55° W 80 poles to T witness
 Beach 8 inches S 75° E 107 links distant Beach 15 inches in diameter
 S 41° E 109 links distant thence S 41° W 79 poles + 17 links to A or the place
 of beginning then commenced at K Ran S 31° E 79 poles + 10 links to M
 witness Willow 4 inches in diameter S 41° E 57 links distant
 thence S 35° E 80 poles + 3 links to the Eastern 1/2 mile stake of
 Section 35 or to N witness Beach 25 inches in diameter S 50° E
 20 links distant Beach 25 inches in diameter S 41° E 113 links distant
 thence S 31° E 162 poles + 1 link to O witness Oak 6 inches in diameter
 S 41° W 176 links distant Oak 4 inches in diameter S 41° W 74 links
 distant thence S 41° W 79 poles + 16 links to P witness Dogwood
 8 inches in diameter S 35° W 20 links distant Sassafras 8 inches
 in diameter S 35° E 16 links distant thence S 35° W 87 poles + 20
 links to Q thence S 41° W 7 poles + 11 links to the Edge of Salt
 Creek at an ordinary stage of water thence down said Creek
 to H John Wallon & J. F. Jennings Chas. Baren sworn
 J. S. Buskirk M. C. Surverger


November the 17th 1860

Ran the following line and made the following
 corners in Section 22, T. 10. R. 1 E for J. F. Thompson
 commenced in the center of the Henderson County Road
 where the line splitting the Section North & South
 crosses said Road corner made witness Beach 15 inches
 in diameter S 70° W 40 links distant Beach 10 inches
 in diameter S 41° E 32 1/2 links distant thence S 35° W 16 poles
 corner made witness Hickory 8 inches in diameter S 41° E 35 links

Add Temp up when we get a better copy

CornerID	CornerName
CLCr_X21	E/16
CLCr_Y21	SEC
Polk_A21	SEC
Polk_A22	N/16
Polk_B21	W/16
Polk_B22	NW/16





18.94 AC

#4

18.94 AC

NORTHWEST CORNER
SOUTHWEST QUARTER
NORTHWEST QUARTER
SECTION 31, TOWNSHIP
7 NORTH, RANGE 1 EAST

NORTHEAST CORNER
SOUTHWEST QUARTER
NORTHWEST QUARTER
SECTION 31, TOWNSHIP
7 NORTH, RANGE 1 EAST

ONE
STORY
FRAME
DWELLING

DETAIL OF ENCROACHMENT

SCALE 1"=40'

IHRER, NEAL
7N, 1E, 31
7N, 1W, 25, 36


PRINCE, ERNEST + CLEO
D.R. 100, P. 291
6-25-46

PRINCE, ERNEST + CLEO
D.R. 103, P. 543
11-3-47


HERSHEIL, SOUTHERN
D.R. 87, P. 114
1-13-34


2.27 AC

0.96 AC



41.89






#3
41.89 AC

#4
18.94 AC


IHRER, NEAL
7N, 1E, 31
7N, 1W, 25, 36



23.39A^c

#3

41.89A^c




N
NEAL IHRER
SCALE 1"=100'
O = IRON PIPE
DATE DEC. 26, 1972

LEE UTT, Registered Land Surveyor #50089
R-R #14, Box 291, Bloomington Indiana



Lee Utt



IHRER, NEAL
7N, 1E, 31
7N, 1W, 25, 36